

LOCAL HISTORIC AND CONSERVATION DISTRICTS HISTORIC PRESERVATION COMMISSION

Application for Certificate of Appropriateness

Per House Bill 493, detailed checklists of items required to be submitted for each type of project are supplemental to this application. Each item must be checked off and a page number where the item is located must be noted and included with the application. The applicant must sign the affidavit, at the end of the application and each required checklist, certifying that all required items are provided. If there are questions regarding items required for your specific project, contact staff for clarification prior to submitting the application.

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request. Revisions made to the applications after the submittal deadline and prior to the Commission hearing may be continued to the following month's hearing. The Commission reserves the right to require additional information if it believes that the submission of such information is necessary to understand the nature of the intended activity.

Submissions will only be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. For questions, email preservationquestions@thempc.org or call 912-651-1440.

Do not email questions to historic@thempc.org. If email is not available, contact the office for alternate arrangements.

Local Historic and Conservation Districts:

☐ Victorian Local Historic District	☐ Conservation District (Con	tributing Demolition only):
	·	•
Cuyler-Brownville Local Historic District	☐ Ardsley Park-Chat	
☐ Streetcar Local Historic District	☐ Ardmore and Chat	ham Terrace
	☐ Parkside	
	☐ Historic Carver Vi	llage / Flatman Village
Applicant Contact Information:		
Name (Business & Contact):		
Address:		
City:		Zip:
Phone: E-Mail Address:		
Property Owner Contact Information:		
Name:		
Address:		
City:	State:	Zip:
Phone: E-Mail Address:		
Official Correspondence: ☐ Applicant ☐ Owner ☐ Other		(Check all that apply)
Property Information of Proposed Work: (PIN and Zoning	information can be found at htt	ps://www.sagis.org/map/.)
Address:		
PIN (Property Identification Number):	Zo	ning:

Scope of Work: (Check all that apply.)

STAFF REVIEW (two or less of the following*):		
☐ Roof Repair/Replace	☐ Shutters	☐ Brick Repointing ☐ Signs
☐ Awnings	☐ Windows and/or Doors	☐ Fences
☐ Stucco Repair	Mechanical Screening	☐ Non-Contributing Demolition
COMMISSION REVIEW:		☐ New Construction, Large*** (Part I)
☐ Contributing Demolition	☐ Additions	☐ New Construction, Large*** (Part II) NO FEE
☐ Rehabilitation/Alterations*	☐ Relocation	☐ Special Exception(s) Requests
☐ New Construction,	☐ Alternative Energy	☐ Variance Recommendation Requests NO FEE
Small** (Parts I and II)	Equipment (i.e solar panels)	☐ Determination of Contributing Status NO FEE
OTHER:		
☐ Amendment to Previous COA		☐ Other (Description):
Previous Case File Number:		Contact staff for checklist requirements.

2023 Historic Preservation Commission Schedule:

Application Deadline Dates, by 3:00 p.m.	Meeting Date (Time: 3:00 p.m.)
☐ Wednesday, January 4, 2023	Wednesday, January 25, 2023
☐ February 1	February 22
☐ March 1	March 22
☐ April 6	April 26
☐ May 4	May 24
☐ June 7	June 28
☐ July 5	July 26
☐ August 2	August 23
☐ September 6	September 27
☐ October 4	October 25
□ November 1	Monday, November 20*
☐ December 6	December 27
☐ January 3, 2024	January 24, 2024

^{*} Rescheduled due to holidays.

2023 Pre-Application Conference Schedule: NEW!

Pre-Application Conference Days	Pre-Application Conference Times
First and Fourth Tuesdays of the Month	9am, 9:45am, 10:30am, 11:15am, 11:45am
First and Fourth Thursdays of the Month	1pm, 1:45pm, 2:30pm, 3:14pm, 4:30pm

Contact staff to schedule a pre-meeting: <u>preservationquestions@thempc.org</u> or call 912-651-1440. Pre-meetings must be held a minimum of <u>ONE WEEK</u> before a deadline.

^{*} Three or more staff review items becomes a Commission Review.

^{**} Small New Construction = cumulative footprint less than 4,000 square feet.

^{***} Large New Construction = cumulative footprint 4,000 square feet and greater.

Estimated Cost of the Proposed Work: \$	
---	--

Filing Fee Schedule: (Fees shall be paid digitally at https://www.thempc.org/Application#gsc.tab=0)

Fee Description (Select one ONLY)	Filing Fee
☐ Cost of Scope of Work: \$0 - \$2,500	\$25.00
☐ Cost of Scope of Work: \$2,501- \$5,000	\$50.00
☐ Cost of Scope of Work: \$5,001- \$25,000	\$75.00
☐ Cost of Scope of Work: \$25,001- \$50,000	\$100.00
☐ Cost of Scope of Work: \$50,001-\$100,000	\$150.00
☐ Cost of Scope of Work: \$100,001-\$500,000	\$200.00
☐ Cost of Scope of Work: \$500,001 - \$1,000,000	\$300.00
☐ Cost of Scope of Work: \$1,000,001 - \$5,000,000	\$500.00
☐ Cost of Scope of Work: \$5,000,001 - \$10,000,000	\$1,000.00
☐ Cost of Scope of Work: Over \$10,000,000	\$1,500.00
☐ Demolition of a contributing building	\$500.00
☐ Appeal of Staff Decision	\$250.00
Additional Fees (Select in addition to above, <u>if applicable</u>)	Filing Fee
☐ Special Exception Request	\$1,000.00
☐ Special Exception Request – (Church, Family Care Home, Family Daycare, Institutional Uses)	\$500.00
☐ Amendment to previous COA	Estimated cost of scope of work of amendment
☐ After-the-Fact (Work completed without a COA)	Double the filing fee

Affidavit Certifying Completeness of Application:

I hereby acknowledge that I understand the requirements listed above for what constitutes a complete application. I have checked off each box and included a page number where the item is located. I confirm that the requirements for a complete application have been met.

Signature:	Joshue L. Ward	Date:

Signature of Legal Owner or Authorized Agent:

I have read and understand all the information enclosed in this application form. I hereby certify that I am the legal owner or authorized agent for the legal owner of the subject property.

Signature:	Joshue L. Wand	Date:

Submissions will only be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. Please do not submit questions to historic@thempc.org. For questions, email preservationquestions@thempc.org or call 912-651-1440. Please do not submit applications to preservationquestions@thempc.org. If email is not available, contact the office for alternate arrangements

A complete application submission consists of:

- 1. Complete, signed application
- Complete, signed checklist(s) for each request
- Checklist documentation 3.
- 4. Payment receipt

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request.



LOCAL HISTORIC AND CONSERVATION DISTRICTS HISTORIC PRESERVATION COMMISSION

Board Review Checklists for Certificate of Appropriateness Application Rehabilitation and Alterations

Per House Bill 493, detailed checklists of items required to be submitted for each type of project are supplemental to this application. Each item must be checked off and a page number where the item is located must be noted and included with the application. The applicant must sign the affidavit, at the end of the application and each required checklist, certifying that all required items are provided. If there are questions regarding items required for your specific project, contact staff for clarification prior to submitting the application.

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request. Revisions made to the applications after the submittal deadline and prior to the Commission hearing may be continued to the following month's hearing. The Commission reserves the right to require additional information if it believes that the submission of such information is necessary to understand the nature of the intended activity.

Submissions will only be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. For questions, email preservationquestions@thempc.org or call 912-651-1440.

Do not email questions to historic@thempc.org. If email is not available, contact the office for alternate arrangements.

REHABILITATION AND ALTERATIONS.			
☐ REQUIRED Pre-Application Conference (Sec. 3.18.4.a. of the zoning ordinance):			
Date attended and with which staff member:			
☐ Provide electronic payment receipt and indicate amount: \$			
\square Provide one (1) electronic copy and one (1) hard copy of the entire submittal packet.			
☐ Page No: Written project description.			
☐ Page No: Written description of each Special Exception requested.			
☐ Page No: Color photographs of existing conditions from all sides.			
☐ Page No: Demolition plans (floor plans and elevations) showing all area	as and materials to be removed.		
☐ Page No: Floor Plans:			
☐ Dimensions.			
☐ Labeled interior spaces.			
☐ Page No: Roof Plan:			
☐ Roof pitches.			
☐ Equipment and screening.			
☐ Page No: Exterior Elevations:			
☐ Adjacent buildings with dimensions.			
☐ Dimensioned floor-to-floor heights.			
☐ Stoop heights.			
☐ Height of parapet walls.			
☐ Locations and dimensions of all windows, doors, and other openings.			
☐ Porches, balconies, railings heights, and baluster spacing.			

☐ Fences, ec	quipment, etc. with dimensions.
☐ Roof equi	pment with screening heights and locations.
☐ Page No	: Specifications for each product.
☐ Page No	: Physical material samples.
☐ Page No	: Historic images, plans, etc. for a restoration or reconstruction.
Affidavit Certifying	Completeness of Application:
, .	
Submissions will only h	be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. Please do not

submit questions to historic@thempc.org. For questions, email preservationquestions@thempc.org or call 912-651-1440. Please do not submit applications to preservationquestions@thempc.org. If email is not available, contact the office for alternate arrangements A complete application submission consists of:

- 1.
- Complete, signed application
 Complete, signed checklist(s) for each request 2.
- Checklist documentation
 Payment receipt 3.

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request



LOCAL HISTORIC AND CONSERVATION DISTRICTS HISTORIC PRESERVATION COMMISSION

Board Review Checklists for Certificate of Appropriateness Application New Construction, Small (Part I and II)

Per House Bill 493, detailed checklists of items required to be submitted for each type of project are supplemental to this application. Each item must be checked off and a page number where the item is located must be noted and included with the application. The applicant must sign the affidavit, at the end of the application and each required checklist, certifying that all required items are provided. If there are questions regarding items required for your specific project, contact staff for clarification prior to submitting the application.

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request. Revisions made to the applications after the submittal deadline and prior to the Commission hearing may be continued to the following month's hearing. The Commission reserves the right to require additional information if it believes that the submission of such information is necessary to understand the nature of the intended activity.

Submissions will only be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. For questions, email preservationquestions@thempc.org or call 912-651-1440.

Do not email questions to historic@thempc.org. If email is not available, contact the office for alternate arrangements.

Small New Construction = cumulative footprint less than 4,000 square feet

NEW CONSTRUCTION, PART I: HEIGHT AND MASS.	
☐ REQUIRED Pre-Application Conference (Sec. 3.18.4.a. of the zoning ordinance):	
Date attended and with which staff member:	_
☐ Provide electronic payment receipt and indicate amount: \$	
☐ Provide one (1) electronic copy and one (1) hard copy of the entire submittal packet.	
☐ Page No: Written project description.	
☐ Page No: Written description of each Special Exception requested.	
☐ Page No: Lot coverage percentage.	
☐ Page No: Color photographs of site and existing buildings within the vicinity of the project.	
☐ Page No: Site Plan:	
☐ Adjacent buildings with setback dimensions.	
☐ Lot dimensions.	
☐ Property lines.	
☐ Streets, lanes, and sidewalk.	
☐ Curb cuts with width dimensions.	
☐ Garage apron locations.	
☐ New building with dimensions and setbacks.	
☐ Fences.	
☐ Electric meter locations.	
☐ Refuse storage area.	
☐ All ground and roof equipment including screening.	
☐ Page No. : Floor Plans:	

	☐ Dimensions.
	☐ Labeled interior spaces.
_	No: Roof Plan:
	□ Roof pitches.
	☐ Equipment and screening.
	No: Exterior Elevations:
	☐ Adjacent buildings with height dimensions.
	☐ Dimensioned floor-to-floor heights.
	☐ Stoop heights.
	☐ Height of parapet walls.
	☐ Locations and dimensions of all windows, doors, and other openings.
	☐ Porches, balconies, railings heights, and baluster spacing.
	☐ Fences, equipment, etc. with dimensions.
	☐ Roof equipment with screening heights and locations.
☐ Page	No: Building Sections (minimum of two: north-south and east-west):
	☐ Projections, window and door depths, off-sets, and opening recesses.
NEW C	CONSTRUCTION, PART II: DESIGN DETAILS.
☐ Page	No: Exterior Elevations:
	☐ All materials illustrated and labeled.
	☐ Muntins and other window and storefront configuration details.
	☐ Door configuration details.
	☐ Details of awnings, balconies, and porches.
☐ Page	No: Wall Sections (minimum of two through typical and atypical locations):
	☐ All materials illustrated and labeled.
	☐ Projections, window and door depths, off-sets, and opening recesses.
	☐ Details such as storefronts, windows, doors, porticos, parapets, stoops, balconies, and porches.
☐ Page	No: Specifications for each product.
☐ Page	No: Physical material samples.
A CC 1	
	it Certifying Completeness of Application:
	acknowledge that I understand the requirements listed above for what constitutes a complete application. I have off each box and included a page number where the item is located. I confirm that the requirements for a complete
applicat	ion have been met
Signatu	re:
	v į

Submissions will only be accepted when emailed to historic@thempc.org. Ensure the file size does not exceed 10 MB. Please do not submit questions to historic@thempc.org. For questions, email preservationquestions@thempc.org or call 912-651-1440. Please do not submit applications to preservationquestions@thempc.org. If email is not available, contact the office for alternate arrangements A complete application submission consists of:

- 1. Complete, signed application
- 2. Complete, signed checklist(s) for each request
- 3. Checklist documentation
- 4. Payment receipt

Applications that do not provide documentation or required materials will be noted as incomplete and may result in delays in the Commission or Staff's review of the application and/or denial of the request



PROJECT DESCRIPTION:

THIS SUBMITTAL SEEKS THE APPROVAL FOR THE RENOVATION OF, AND NEW CARRIAGE HOUSE FOR, 2205 MARTIN LUTHER KING JR. BOULEVARD IN SAVANNAH'S CUYLER BROWNVILLE HISTORIC DISTRICT. THE 2-STORY DWELLING WAS CONSTRUCTED CA. 1902, POSSIBLY AS A PAIR WITH THE HOUSE AT 2207 MLK. ITS FIRST OCCUPANTS WERE A.J. AND EFFIE THORPE.

MAIN HOUSE - INTERIOR

INTERIOR MODIFICATIONS INCLUDE UPDATING THE EXISTING BATHROOMS AND KITCHENS. EXISTING PLASTER, TRIM, AND DOORS WILL REMAIN AND BE REPAIRED 'IN KIND' WHERE NECESSARY.

MAIN HOUSE - EXTERIOR

EXTERIOR MODIFICATIONS INCLUDE INSTALLING A NEW ARCHITECTURAL ASPHALT SHINGLE ROOF. THE METAL PORCH ROOF WILL REMAIN AND BE REPAIRED AS NECESSARY. THE MAIN ROOF SOFFIT IS MISSING AND WILL BE RE-BUILT WITH 3" WOOD TONGUE AND GROOVE BEADBOARD. ALL WOOD SIDING AND TRIM WILL BE REPAIRED AND PAINTED. WHERE WINDOWS ARE MISSING, NEW WOOD TDL OPERABLE WINDOWS WILL BE INSTALLED. THESE WILL BE COMPRISED OF 2/2 DOUBLE-HUNGS. MISSING WINDOW TRIM WILL BE INSTALLED MATCHING THE EXISTING 'IN KIND'. THE FRONT ENTRY WILL RECEIVE A NEW WOOD PANELED DOOR, AND THE SIDE ENTRY WILL RECEIVE A NEW WOOD/GLASS DOOR. THE MISSING FRONT PORCH RAILING WILL BE INSTALLED USING SQUARE WOOD PICKETS. NEW P.T. WOOD STAIRS WILL BE INSTALLED AT THE FRONT AND SIDE PORCHES. NEW HEAVY GAUGE SQUARE WOOD LATTICE WILL BE INSTALLED BETWEEN THE EXISTING BRICK PIERS.

CARRIAGE HOUSE

LOCATION ON THE SITE

THE CARRIAGE HOUSE WILL BE LOCATED ALONG THE LANE ON THE REAR OF THE PROPERTY. IT WILL BE INSET 5' FROM THE REAR PROPERTY LINE, 3' FROM THE NORTH PROPERTY LINE, AND 7'-6" FROM THE SOUTH PROPERTY LINE. HISTORICALLY THERE WAS A 1-STORY GARAGE AT THIS APPROXIMATE LOCATION, WHICH WAS DEMOLISHED AT SOME POINT.

HEIGHT

THE CARRIAGE HOUSE WILL BE TWO-STORIES WITH A HIP ROOF. THE HIP RIDGE WILL BE APPROXIMATELY 25' ABOVE GRADE AND 6' BELOW THAT OF THE MAIN HOUSE. THE FIRST FLOOR GARAGE WILL BE SLIGHTLY ABOVE GRADE AND THE SECOND FLOOR WILL BE 10' ABOVE THE FIRST. AS AN ACCESSORY DWELLING UNIT THE CARRIAGE HOUSE WILL BE SMALLER IN HEIGHT THAN THE MAIN HOUSE.

MASS/FORM

THE FORM OF THE BUILDING IS A SIMPLE BOX INDICITAVE OF THE BUILDING TYPE FOUND THROUGHOUT THE DISTRICT. IT WILL HAVE A HIP ROOF MATCHING THE MAIN HOUSE ROOF.



DESIGN DETAILS

THE CONSTRUCTION TYPE WILL BE WOOD FRAME ON A CONCRETE SLAB. THE MAIN BODY WILL HAVE SMOOTH FIBER CEMENT SIDING WITH A 5" EXPOSURE AND MITERED CORNERS. ALL TRIM WILL BE SMOOTH AND EITHER WOOD OR FIBER CEMENT. THE MAIN ROOF WILL HAVE ARCHITECTURAL ASPHALT SHINGLES TO MATCH THE MAIN HOUSE. THE GARAGE DOORS WILL BE A PAINTED AND FLUSH PANELED OVERHEAD ROLLING TYPE. THE HUMAN DOORS WILL BE WOOD/GLASS AND WOOD PANELED. THE WINDOWS WILL BE ALUMINUM CLAD WOOD DOUBLE-HUNG TYPE.

PAINTED WOOD STAIRS WILL LEAD TO THE DWELLING UNIT ENTRY. A LOUVERED WALL WILL HELP SCREEN THE STAIRS, HVAC EQUIPMENT, AND REFUSE. THE LOUVERED WALL WILL ALSO GENERATE PRIVACY FOR THE TENANT AND SERVE AS THE GUARDRAIL FOR THE STAIRS. AN UPPER CORNER OF THE CARRIAGE HOUSE HAS BEEN SLIGHTLY RECESSED AND GIVEN A DIFFERENT EXTERIOR TREATMENT THAN THE REST OF THE BUILDING. THE CORNER WILL HAVE SMOOTH FIBER CEMENT BEADED SIDING. THE CORNER ARTICULATION IS A REFERENCE TO THE MAIN HOUSE, WHICH HAS A SIMILIAR CONDITION.




Savannah Development and Renewal Authority

Thorpe Residence


2205 Martin Luther King Jr., Blvd. Savannah, GA Cuyler-Brownville NRHP Historic District

Illustrated History. North is at the top.



1898


The 1898 Sanborn Fire Insurance Map illustrates the earliest development of the block. One two-story wood framed dwelling has been constructed by this time, and Wells Park is laid out across the street. Early division of the lots were oriented north-south, with the established property developed in an east-west orientation. The subject property is not yet developed but its approximate location is outlined in red.



1916


The 1916 Sanborn Fire Insurance Map illustrates the development pattern of the block. It comprised of 1- and 2-story attached and semi-attached wood frame dwellings, with 1-story accessory buildings along the lane. Buildings south of 38th street along West Broad were built in the eastwest orientation and the former eastern portion of West 38th Street lane was reconfigured to allow for a buildable lot to front West Broad Street.

2205 West Broad Street is shown as a 2-story detached wood frame dwelling with a full-width one-story front porch and a 1-story accessory building on the lane. A one-story room is shown on the south side of the west end of the house.




1936

The Savannah Cadastral Survey, conducted in November 1936, portrays similar footprints as the prior 1916 Sanborn Map. The images illustrate a 2-story home with a 1-story front porch. The small 1-story room on the south façade at the west end is also depicted. The accessory building is noted as a wood frame 2-car garage. A hip roof surfaced in tin is identified over the principal structure.



1954


The 1954 Sanborn Fire Insurance Map depicts no significant changes to the subject building. The accessory structures may have been altered to more closely correspond to the dimensions noted in 1936. Iron cladding is noted on the lane side (west) of the auto-related structure.



1966

The 1966 Sanborn Fire Insurance Map depicts no significant changes to the subject buildings although the southern massing along 2207's south façade is shown. Additionally, a small 1-story addition is noted on the garage building at 2207.

Most notable in this map is the redevelopment of the southern portion of the block. A filling station has replaced the residence that stood to the south of the subject property.



2010

The Chatham County Tax Assessor's property card shows the building at 2205 having a slab porch with roof on the west end of the home. This graphic is shown in the annual property record card through 2016 although both the rear porch and small one-story southern massing were removed prior to 2013, as evidenced in dated photographs. No accessory buildings are noted in the assessor's information.

DEEP DIMENSION OUTSTANDING PERFORMANCE

Duration® Shingles offer:

- The high-performance of SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*/‡ for as long as you own your home
- The protection of a 130-MPH* wind warranty
- StreakGuard™ Protection with a 25-year Algae Resistance Limited Warranty^{3/§}

UNA NUEVA DIMENSIÓN DESEMPEÑO SOBRESALIENTE

Las tejas Duration® ofrecen:

- El gran desempeño de la tecnología SureNail®
- · La gama de colores TruDefinition®
- Una garantía limitada de por vida*/‡ mientras sea propietario de la vivienda
- · La protección de una garantía contra vientos de hasta 210 km/h (130 mph)*
- Protección StreakGuard[™] con una garantía limitada de 25 años de resistencia a las algas ^{3/§}



Don't let black streaks lower the value or curb appeal of your home.

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colorful shingles. This helps resist blue-green algae growth.*

No deje que las manchas de algas afecten al valor o aspecto de su vivienda.

En sus coloridas tejas, Owens Corning añade gránulos especiales con recubrimiento de cobre, desarrollados por 3M, un productor líder de gránulos para techos. Esto ayuda a prevenir la proliferación de algas azul-verdosas.*



THE FINISHING TOUCH

OWENS CORNING® HIP & RIDGE SHINGLES

Owens Corning® Hip & Ridge Shingles are uniquely color matched to TruDefinition® Duration® Shingles. The multiple color blends are only available from Owens Corning® Roofing and offer a finished look for the roof.

EL TOOUE FINAL


TEJAS DE LIMATESA Y CUMBRERA DE OWENS CORNING®

Las tejas de limatesa y cumbrera de Owens Corning® se ofrecen en una exclusiva gama de colores para combinar con las tejas Duration® TruDefinition®. Esta gran variedad de combinaciones de colores es una exclusividad de Owens Corning® Roofing para lograr techos con un acabado único.

TruDefinition®

DURATION®

Shingles with Patented SureNail® Technology | Tejas con tecnología patentada SureNail®



COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.

DESCARGO DE RESPONSABILIDAD SOBRE LOS COLORES

En tanto que especialistas en color, sabemos que obtener el color de teja perfecto es una parte importante en toda compra de techos. Debido a las variaciones en los colores impresos, además de mirar folletos de tejas, le sugerimos que solicite una muestra de la teja para ver como se verá en su hogar y con los elementos externos de la vivienda bajo distintas condiciones de luz natural. Finalmente, le recomendamos que para verificar su elección de colores, vea cómo lucen las tejas ya instaladas en una vivienda; su contratista de techos o su proveedor le pueden dar una muestra e incluso indicarle dónde ver un techo ya instalado.

ENDLESS DESIGN POSSIBILITIES **Product Catalog**

A classic look that stands the test of time.

Hardie[®] **Plank**

From Victorians to Colonials, Hardie® Plank is the perfect siding for your style, and has the durability and long-lasting beauty that can transform your home exterior. With endless gorgeous color and plank pairings available, you'll discover a Hardie® Plank style that transforms your home's aesthetic.



Hardie® Plank











Beaded Select Cedarmill®



Select Cedarmill® & Smooth

Select Cedarmill® & Smooth			Thickness 5/16 in Length 12 ft planks			
Width	5.25 in	6.25 in	7.25 in	8.25 in	9.25 in	12 in
Exposure	4 in	5 in	6 in	7 in	8 in	10.75 in
Prime Pcs/Pallet	360	308	252	230	190	152
ColorPlus® Pcs/Pallet	324	280	252	210	_	_
Pcs/Sq.	25.0	20.0	16.7	14.3	12.5	9.3

Select Cedarmill®

Width	5.25 in	6.25 in	7.25 in	8.25 in	9.25 in	12 in
Statement Collection [™]				•		
Dream Collection [™]	•	•	•	•		
Prime	•	•	•	•	•	•

Smooth

Width	5.25 in	6.25 in	7.25 in	8.25 in	9.25 in	12 in
Statement Collection [™]						
Dream Collection [™]	•	•	•	•		
Prime	•	•	•	•	•	•

13

Beaded Select Cedarmill® & Beaded Smooth

Vidth	8.25 in
xposure	7 in
ColorPlus® Pcs/Pallet	210
Pcs/Sq.	14.3
Statement Collection™	
oream Collection [™]	•


Prime


12 **Beaded Smooth**



Section Details: IZ3 Operating

Scale: 3" = 1' 0"





NOTE: CE mark is not available on Impact units.




Section Details: IZ3 Transom and Picture

Scale: 3" = 1' 0"

5 21/32" (144)4 9/16" 11/16" (116) (17) 3 1/4" (83) 1 7/16" (36) Frame Size 2 3/4" 3 23/32" (70) (94) (34) 2 7/32" (57)

Head Jamb and Sill

Transom



Jambs


5 21/32" (144) 4 9/16" 11/16" (116) (17) 3 1/4" (82) 1 15/32" (37) Frame_ Size_ 3 1/4" (83) 4 27/32" (123)1 5/16" (34) 2 7/32" (57)

NOTE: CE mark is not available on Impact units.

Ver 2017.2 2017-04-24

Head Jamb & Sill


Picture






Section Details: Operating







Double Hung



Single Hung








Section Details: 1 5/8" Transom/Picture

Scale: 3" = 1' 0"


17/32" (31) 15/16" (33) 2 29/32" (74) 2 7/32" (56) 2 19/32" 3 17/32" (66) (90) 1 31/32" (50)


Head Jamb and Sill

1 5/8" Transom




1 5/8" Picture








Entry Door Details







3/ 1/2"
Outside Frame Width

Door Style	Sticking	Panel	Material	Glass / Insert	Product Type
FL451	SS	С	Mahogany	3/4" Insulated Unit	Entry System



Entry Door Details







 Door Style
 Sticking
 Panel
 Material
 Glass / Insert
 Product Type

 TS2020
 SS
 C
 Mahogany
 Entry System



Entry Door Details





Door Style	Sticking	Panel	Material	Glass / Insert	Product Type
TS4000	SS	С	Mahogany		Entry System