

REQUIRED DISTANCE BETWEEN EXIT DOORS	N/A	N/A
ACTUAL DISTANCE BETWEEN EXIT DOORS	N/A	N/A


EXIT WIDTH (IN)		
Level	Stair	Level
N/A	N/A	N/A
.2"	N/A	108"
1.6"	N/A	108"
11.8"	N/A	108"
1"	N/A	108"
14.6"	N/A	108"

● NO CHANGE

SHOWERS / TUBS	DRINKING FOUNTAINS
N/A	1 PER 1000


Total # Accessible Provided	
With Access Aisle	

Exit door (20' distance) provided to the zoning department.




EXIT
 3.65" REQ'D
 68" PROVIDED
 14.6"/4 EXITS

42 min
1065
minimum
42 min latch approach only other approaches 48 min
42 min latch approach only other approaches 48 min



(c)

Alternate Locations of Panel with Center Opening Door




(d)

Alternate Locations of Panel with Side Opening Door


Opening Doors
RS

Fig 23
Car Controls




alt.

36 min
915
36 min




(a)
Standard Stall




(b)
Alternate Stalls


Fig 30
Toilet Stalls




REMOVE EXISTING S
BATHROOM FIXTURES
FOR NEW BATHROOM
CONFIGURATION



BULL STREET



ONE STORY
COMMERCIAL BUILDING
6278 SF



MARKET
108

**NEW ADA
RESTROOM**

109

TECH

STORAGE STORAGE

NEW RESTROOM

- NEW ADA HANDRAIL

- NEW WOOD RAMP & LANDING

